

# AMENDED

## APPLICATION FOR PERMIT

Serial No. 7047

### TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office FEB 16 1924  
Returned to applicant for correction FEB 18 1924  
Corrected application filed FEB 27 1924

The undersigned Contact Sewerage Company  
Name of applicant  
of Contact, County of Elko,  
State of Nevada, hereby make<sup>s</sup> application for  
permission to appropriate the public waters of the State of Nevada, as  
hereinafter stated. (If applicant is a corporation, give date and place  
of incorporation.) Incorporated November 23, 1923, Nevada

1. The source of the proposed appropriation is Grey Spring No. Two.  
Name of stream, lake, or other source  
(Lower Spring)
2. The amount of water applied for is One second-feet.  
One-second-foot equals 40 miners' inches
3. The water to be used for Municipal Supply  
Irrigation, power, mining, manufacturing, domestic, or other use
4. The water is to be diverted from its source at the following point:  
SE $\frac{1}{4}$  of NE $\frac{1}{4}$  of Section 19, Twp. 45 N., R. 64 E., M.D.B. & M.  
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section-corner. If on unsurveyed land, it should be so stated.

#### IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is \_\_\_\_\_
- (b) Description of land to be irrigated To be used for irrigation only  
Describe by legal subdivision, or if on unsurveyed land it should  
in connection with municipal supply for Contact City Townsite and  
be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.  
additions: and including Railroad Townsite and East Contact, situated  
in the E $\frac{1}{2}$  Sec. 19 and Sec. 20, T. 45 N., R. 64 E. M.D.B. & M.

Use of water

- (c) ~~Irrigation~~ will begin about January 1st and end about  
Month  
December 31st, of each year.  
Month

#### IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is \_\_\_\_\_ horsepower.
- (e) Works to be located In SE $\frac{1}{4}$  NE $\frac{1}{4}$  of Section 19, Twp. 45 N., R. 64 E.,  
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.  
M.D.B. & M. in the town of Contact, sometimes known as Contact City,  
Elko County, Nevada.

- (f) Point of return of water to stream Not to be returned.  
Describe in same manner as point of diversion.

(g) Remarks \_\_\_\_\_

# DESCRIPTION OF PROPOSED WORKS

Tunnel, dams, tanks and pipelines. Water to be stored in tanks at State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water springs near point of diversion and piped from tanks to town. is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

5. Estimated cost of works \$10,000.00
6. Estimated time required to construct works Three years.
7. Remarks

For use of applicant

CONTACT SEWERAGE COMPANY

, Applicant.

By H. U. Castle

Attorney for Applicant.

Compared MC.EF

This sheet inspected

, Engineer.

PROTESTED MARCH 21, 1924, by GRAY MINING CO.

## APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to all prior rights on the source. It is understood that the one cubic foot of water per second herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to a beneficial use. A suitable measuring device must be installed and accurate measurements of the water placed to a beneficial use must be included in the proof of beneficial use when filed. The State reserves the right to regulate the use of the water herein granted at any and all times. It is distinctly understood that applicant agrees to the terms herein contained.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed one cubic foot per second.

Actual construction work shall begin on or before September 2, 1924

Proof of commencement of work shall be filed before October 2, 1924

Work must be prosecuted with reasonable diligence and be completed on or before September 2, 1927

Proof of completion of work shall be filed before October 2, 1927

Application of water to beneficial use shall be made on or before September 2, 1928

Proof of the application of water to beneficial use must be filed with State Engineer on or before October 2, 1928

WITNESS MY HAND AND SEAL this 2nd day of July, A.D. 1924

State Engineer.


Map filed JUNE 26, 1924  
Permit  
Went complete  
and State Engineer  
See Correspondence  
JULY 1924

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application and do hereby deny the same, subject to the following limitations and conditions: Denied on the grounds that the applicant or his successors in interest have failed to submit the information requested and the approval of these applications without the information requested would be detrimental to the public welfare.

WITNESS MY HAND AND SEAL This

6th Day of June, 1969

  
ROLAND D. WESTERGARD  
State Engineer

